## TO HOUSE AMENDMENT NO. \_\_\_

## Offered By

| AMEND House Amendment No to House Committee Substitute for Senate Bill No. 056                      |
|---|
| Page 3, Line 10, by inserting after all of said line the following:                                 |
| "Further amend said bill, Page 7, Section 304.022, Line 67, by inserting after all of said line the |
| following:  |
| "304.180. 1. No vehicle or combination of vehicles shall be moved or operated on any                |
| highway in this state having a greater weight than twenty thousand pounds on one axle, no           |
| combination of vehicles operated by transporters of general freight over regular routes as defined  |
| in section 390.020 shall be moved or operated on any highway of this state having a greater         |
| weight than the vehicle manufacturer's rating on a steering axle with the maximum weight not to     |
| exceed twelve thousand pounds on a steering axle, and no vehicle shall be moved or operated or      |
| any state highway of this state having a greater weight than thirty-four thousand pounds on any     |
| tandem axle; the term "tandem axle" shall mean a group of two or more axles, arranged one           |
| behind another, the distance between the extremes of which is more than forty inches and not        |
| more than ninety-six inches apart.  |
| 2. An "axle load" is defined as the total load transmitted to the road by all wheels whose          |
| centers are included between two parallel transverse vertical planes forty inches apart, extending  |
| across the full width of the vehicle.   |
| 3. Subject to the limit upon the weight imposed upon a highway of this state through any            |

```
1
      one axle or on any tandem axle, the total gross weight with load imposed by any group of two or
2
      more consecutive axles of any vehicle or combination of vehicles shall not exceed the maximum
 3
      load in pounds as set forth in the following table:
 4
 5
      Distance in feet
 6
      between the extremes
 7
      of any group of two or
 8
      more consecutive axles,
 9
      measured to the nearest
10
      foot, except where
11
      indicated otherwise
                                 Maximum load in pounds
12
      feet
                 2 axles 3 axles 4 axles 5 axles 6 axles
13
      4
                34,000
14
      5
                34,000
15
      6
                34,000
16
      7
                34,000
17
      8
                34,000 34,000
18
      More than 8 38,000 42,000
                39,000 42,500
19
      9
                 40,000 43,500
20
      10
                 40,000 44,000
21
      11
22
      12
                 40,000 45,000 50,000
                 40,000 45,500 50,500
23
      13
      14
                 40,000 46,500 51,500
24
25
      15
                 40,000 47,000 52,000
```

| 1  | 16 | 40,000 48,000 52,500 58,000        |
|----|----|------------------------------------|
| 2  | 17 | 40,000 48,500 53,500 58,500        |
| 3  | 18 | 40,000 49,500 54,000 59,000        |
| 4  | 19 | 40,000 50,000 54,500 60,000        |
| 5  | 20 | 40,000 51,000 55,500 60,500 66,000 |
| 6  | 21 | 40,000 51,500 56,000 61,000 66,500 |
| 7  | 22 | 40,000 52,500 56,500 61,500 67,000 |
| 8  | 23 | 40,000 53,000 57,500 62,500 68,000 |
| 9  | 24 | 40,000 54,000 58,000 63,000 68,500 |
| 10 | 25 | 40,000 54,500 58,500 63,500 69,000 |
| 11 | 26 | 40,000 55,500 59,500 64,000 69,500 |
| 12 | 27 | 40,000 56,000 60,000 65,000 70,000 |
| 13 | 28 | 40,000 57,000 60,500 65,500 71,000 |
| 14 | 29 | 40,000 57,500 61,500 66,000 71,500 |
| 15 | 30 | 40,000 58,500 62,000 66,500 72,000 |
| 16 | 31 | 40,000 59,000 62,500 67,500 72,500 |
| 17 | 32 | 40,000 60,000 63,500 68,000 73,000 |
| 18 | 33 | 40,000 60,000 64,000 68,500 74,000 |
| 19 | 34 | 40,000 60,000 64,500 69,000 74,500 |
| 20 | 35 | 40,000 60,000 65,500 70,000 75,000 |
| 21 | 36 | 60,000 66,000 70,500 75,500        |
| 22 | 37 | 60,000 66,500 71,000 76,000        |
| 23 | 38 | 60,000 67,500 72,000 77,000        |
| 24 | 39 | 60,000 68,000 72,500 77,500        |
| 25 | 40 | 60,000 68,500 73,000 78,000        |

Action Taken \_\_\_\_\_ Date \_\_\_\_\_ 3

| 1  | 41                | 60,000     | 69,500      | 73,500     | 78,500   |
|----|-------------------|------------|-------------|------------|--|
| 2  | 42                | 60,000     | 70,000      | 74,000     | 79,000   |
| 3  | 43                | 60,000     | 70,500      | 75,000     | 80,000   |
| 4  | 44                | 60,000     | 71,500      | 75,500     | 80,000   |
| 5  | 45                | 60,000     | 72,000      | 76,000     | 80,000   |
| 6  | 46                | 60,000     | 72,500      | 76,500     | 80,000   |
| 7  | 47                | 60,000     | 73,500      | 77,500     | 80,000   |
| 8  | 48                | 60,000     | 74,000      | 78,000     | 80,000   |
| 9  | 49                | 60,000     | 74,500      | 78,500     | 80,000   |
| 10 | 50                | 60,000     | 75,500      | 79,000     | 80,000   |
| 11 | 51                | 60,000     | 76,000      | 80,000     | 80,000   |
| 12 | 52                | 60,000     | 76,500      | 80,000     | 80,000   |
| 13 | 53                | 60,000     | 77,500      | 80,000     | 80,000   |
| 14 | 54                | 60,000     | 78,000      | 80,000     | 80,000   |
| 15 | 55                | 60,000     | 78,500      | 80,000     | 80,000   |
| 16 | 56                | 60,000     | 79,500      | 80,000     | 80,000   |
| 17 | 57                | 60,000     | 80,000      | 80,000     | 80,000   |
| 18 |                   |            |             |            |  |
| 19 | Notwithstanding   | g the abo  | ve table,   | two con    | secutive sets of tandem axles may carry a gross load of  |
| 20 | thirty-four thous | sand pour  | nds each    | if the ov  | verall distance between the first and last axles of such |
| 21 | consecutive sets  | of tande   | m axles     | is thirty- | six feet or more.  |
| 22 | 4. When           | never the  | state hig   | ghways a   | and transportation commission finds that any state       |
| 23 | highway bridge    | in the sta | ite is in s | such a co  | ondition that use of such bridge by vehicles of the      |

Action Taken \_\_\_\_\_ Date \_\_\_\_\_ 4

bridge, the commission may establish maximum weight limits and speed limits for vehicles using

weights specified in subsection 3 of this section will endanger the bridge, or the users of the

24

25

| such bridge. The governing body of any city or county may grant authority by act or ordinance to     |
|--|
| the state highways and transportation commission to enact the limitations established in this        |
| section on those roadways within the purview of such city or county. Notice of the weight limits     |
| and speed limits established by the commission shall be given by posting signs at a conspicuous      |
| place at each end of any such bridge.  |
| 5. Nothing in this section shall be construed as permitting lawful axle loads, tandem axle           |
| loads or gross loads in excess of those permitted under the provisions of Section 127 of Title 23 of |
| the United States Code.  |
| 6. Notwithstanding the weight limitations contained in this section, any vehicle or                  |
| combination of vehicles operating on highways other than the interstate highway system may           |
| exceed single axle, tandem axle and gross weight limitations in an amount not to exceed two          |
| thousand pounds. However, total gross weight shall not exceed eighty thousand pounds, except as      |
| provided in [subsection 9] subsections 9 and 10 of this section.                                     |
| 7. Notwithstanding any provision of this section to the contrary, the department of                  |
| transportation shall issue a single-use special permit, or upon request of the owner of the truck or |
| equipment, shall issue an annual permit, for the transporting of any concrete pump truck or          |
| well-drillers' equipment. The department of transportation shall set fees for the issuance of        |
| permits pursuant to this subsection. Notwithstanding the provisions of section 301.133, concrete     |
| pump trucks or well-drillers' equipment may be operated on state-maintained roads and highways       |
| at any time on any day.  |
| 8. Notwithstanding the provision of this section to the contrary, the maximum gross                  |
| vehicle limit and axle weight limit for any vehicle or combination of vehicles equipped with an      |
| idle reduction technology may be increased by a quantity necessary to compensate for the             |
| additional weight of the idle reduction system as provided for in 23 U.S.C. Section 127, as          |
| amended. In no case shall the additional weight increase allowed by this subsection be greater       |
|  |

Action Taken \_\_\_\_\_\_ Date \_\_\_\_\_\_ 5

| 1  | than four hundred pounds. Upon request by an appropriate law enforcement officer, the vehicle        |
|----|--|
| 2  | operator shall provide proof that the idle reduction technology is fully functional at all times and |
| 3  | that the gross weight increase is not used for any purpose other than for the use of idle reduction  |
| 4  | technology.  |
| 5  | 9. Notwithstanding subsection 3 of this section or any other provision of law to the                 |
| 6  | contrary, the total gross weight of any vehicle or combination of vehicles hauling livestock may     |
| 7  | be as much as, but shall not exceed, eighty-five thousand five hundred pounds while operating on     |
| 8  | U.S. Highway 36 from St. Joseph to U.S. Highway [65] 63, [and] on U.S. Highway 65 from the           |
| 9  | Iowa state line to U.S. Highway 36, and on U.S. Highway 63 from the Iowa state line to U.S.          |
| 10 | Highway 36.  |
| 11 | 10. Notwithstanding any provision of this section or any other law to the contrary, the              |
| 12 | total gross weight of any vehicle or combination of vehicles hauling milk from a farm to a           |
| 13 | processing facility may be as much as, but shall not exceed, eighty-five thousand five hundred       |
| 14 | pounds while operating on highways other than the interstate highway system."; and"; and             |
| 15 |  |
| 16 | Further amend said bill by amending the title, enacting clause, and intersectional references        |
| 17 | accordingly.   |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    | Action Taken Date 6  |